SOW-00-8432-8H314B-1/1

Date: March 25, 1999

STATEMENT OF WORK (SOW)
For the Repair of the
Wiring Assembly, Manpack Fileserver
NSN 5995-01-429-6701
P/N: 94008A2651; CAGE: 01365

RONNIE M. BACK

Intelligence Section Equipment Specialist (Code 843-2) MCLB, Albany GA DAVID M. ROBINSON

Intelligence Section Inventory Manager (Code 843-2) MCLB, Albany GA

WILLIAM T. REYNOLDS

Weapon System/Equipment Manager Intelligence Section (Code 843-2) MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Industry Standards	1
2.3	Other Government Documents and Publications	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	2
3.2.2	Phase II (Repair)	2 2
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	3
3.3	Government Furnished Equipment (GFE)/Materiel (GFM) Accountability	4
3.4	Contractor Furnished Equipment	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	4
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Repairable Item Inspection Report	5
4.3	Monthly Progress Report	5
Appendix		
A	Standard Form 364 (Rev. 2-80)	
R	DA Form 2404 (1 Apr 79)	

STATEMENT OF WORK (SOW) For the Repair of the Wiring Assembly, Manpack Fileserver NSN 5995-01-429-6701 P/N: 94008A2651; CAGE: 01365

1.0 Scope

1.1 Background

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to repair the Wiring Assembly, Manpack Fileserver, 5995-01-429-6701; hereafter referred to as the Wiring Assembly, Manpack Fileserver. This document contains requirements to restore the Wiring Assembly, Manpack Fileserver to Condition Code "A." Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 MIL-STD-2073-1C

DoD Standard Practice for Military Marking DoD Standard Practice for Military Packaging

Military Standards (For Reference Only)

MIL-STD-973

Configuration Management

2.2 Industry Standards

ANSI/EIA-625

Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

2.3 Other Government Documents and Publications The issues of those documents cited below shall be used.

247892-720 Test Specifications 247892-750 Test Procedures

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material From

The Federal Supply System

(Copies of military specifications and standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, (Code 890) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6773 or DSN 567-6773. Copies of engineering drawings, if applicable, shall be obtained from Commander (Code 825-3), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 General Tasks In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the Wiring Assembly, Manpack Fileserver. Upon completion of repairing the subject item it shall be Condition Code "A."
- 3.2 <u>Detail Tasks</u> The following tasks describe the different phases for repair of the Wiring Assembly, Manpack Fileserver:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance
Phase IV Preparation for Shipment and/or Storage

- 3.2.1 <u>Phase I (Pre-Induction)</u> A pre-induction inspection analysis shall be performed for each Wiring Assembly, Manpack Fileserver within 5 working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base, Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- 3.2.2 <u>Phase II (Repair)</u> After pre-induction tests and inspections have been completed, repair of the Wiring Assembly, Manpack Fileserver shall be accomplished in accordance with this SOW.

Deficiencies noted on the Pre-Induction Checklist (Appendix A and Appendix B) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u> The Contractor shall use appropriate technical documentation, as discussed in paragraph 1.1, to restore the Wiring Assembly, Manpack Fileserver to condition code "A."
 - c. The following Standards and Publications shall be used to assist the Contractor:

247892-720 Test Specifications 247892-750 Test Procedures

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the Wiring Assembly, Manpack Fileserver shall be conducted in accordance with the documents listed in section 3.2.2.c and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 843-2), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))

a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Preservation and Packaging of items scheduled for long term storage or immediate shipment to overseas destinations shall be level "A" in

accordance with MIL-STD-2073-1C, Appendix A, Table A. VI, Electronic Equipment. Items scheduled for domestic shipment shall be level "B."

- b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment, and the contractor shall be responsible for arranging for shipment to the pre-designated site. The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Materiel (GFM) Accountability. GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/G316-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.4 Contractor Furnished Materiel In the event that Contractor Furnished Materiel is required for repair parts, the DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). This would require specific provisions in section H of the contract to place total responsibility on the contractor to obtain direct electronic access to the DoD Supply System, electronically submit their requisitions, maintain status, receive billing from the source of supply and provide direct payment to DFAS.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include design, fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

4

3.7 <u>Acceptance</u> The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.

- **Rejection** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 843-2, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control</u> If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4, and subparagraphs and Appendix E, as a guide. Any proposed permanent departures to the configuration baseline affecting fit, form, or function, shall require an Engineering Change Proposal using MIL-STD-973, paragraph 5.4.2 and Appendix D as a guide.

4.0 Reports

- 4.1 <u>Pre-Induction Checklist</u> The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A and Appendix B) for each Wiring Assembly, Manpack Fileserver repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 843-2) Albany, Georgia, after final acceptance of the Wiring Assembly, Manpack Fileserver.
- **4.2** Repairable Item Inspection Report The Contractor shall provide a Repairable Item Inspection Report for each Wiring Assembly, Manpack Fileserver. The report shall be identified by United States Marine Corps Serial Number.
- **4.3** Monthly Progress Report The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the Wiring Assembly, Manpack Fileserver Program.

		For use	of this form, se	e DA PAM 738	8-750 and	1 738-7 <i>5</i>	1; the prop	onent agency is	DCSLOG		
1. ORGANIZ	ZATION					2. NOMEN	ICLATURE an	d MODEL			
2. REGISTR.	ATION/SERIA	IT/NSN	4a. MILES	4b. HOURS	4c. ROUN FIRE		4d. HOT STARTS	5. DATE		6. TYPE I	NSPECTION
7. TM NUMBE	D		LT	APPLICAB M DATE	LE REFER	ENCES	TO ED			TM DATI	
IM NUMBE	sik.			MIDALE		IM NUM	IBEK			IMDAII	<u> </u>
COLUM	/IN a - Enter	r TM number.				COLU		ow corrective a		ficiency (or shortcoming
COLUM	IN b - Enter	r applicable cond	lition status Syn	nbot.		COLI				atad oorn	ective action initial
COLUM	/N c - Enter	r deficiencies and	l shortcomings.	ст	ATUS S		in	this column.	ming compi	———	
"Y" - Ind	dicates a det	ficiency in the eq	winment that no		WI OP P			' Indicates a m	nterial defe	at other ti	han a deficiency
inoperative		neiency in the eq	urprioni mai pri	aces it iii aii		which complet	must be co	orrected to incre serviceable.			
		licated a deficien									
		ic limitations as d til the corrective :			as			ITIAL IN BLAC a satisfactory co			NK, OR PENCIL -
component	t replaceme s not been a	SH "(-)" - Indica nt, maintenance o accomplished, or	operation check	, or test flight is		FOR A	AIRCRAFT	- Status symbo	ls will be re	corded in	red.
accompns:	ALL	INSPECTIONS N ACCORDANC									IED
8a. SIGNAT) performing inspection		8b. TIME	1		laintenance Su		9b. TIME		10. MANHOURS
											REQUIRED
TM ITEM NO.	STATUS	DEFIC	CIENCIES AND SHO	ORTCOMINGS	•			CORRECTIVE ACTI	ON		INITIAL WHEN CORRECTED
a.	b.		c.					d .			<u>c.</u>
							···			•	
<u> </u>	 		····				··				
	<u> </u>										
											
	ļ										
				-							
							·				
	<u> </u>	L									Į.

DA FORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

CIVILIAN AGENCIES: See FPMR handbook cited in 19	(2) (a).			•		•	•			
REPORT OF DISCREPANCY (ROD)			1. DATE OF PREPARATI	ON	2. REPORT N	UMBER				
SHIPPING PACKAGING										
B. TO: (Name and Address, Include ZIP Code)			4. FROM: (Name and Addi	ess, Include ZIP	Code)					
5a. SHIPPERS NAME			56. NUMBER AND DATE	OF INVOICE	Isc TRANSPO	RTATION DOC	IMENT NUM	SER		
						ybill, TCN, etc.)				
	MINISTERING C	ONTRACT	<u> </u>	Requisition, Put	isition, Purchase Reque					
Contract, etc)					etc.)					
9. SHIPMENT, BILLING, AND RE	CEIPT DATA		10.	DISCREPA	NCY DATA		11.			
NSN/PART NUMBER AND	UNIT	QUANTI	TY QUANTITY	QUAN-	UNIT	TOTAL	1	ACTION		
NOMENCLATURE	OF ISSUE	SHIPPEI BILLEI		TITY	PRICE	COST	CODE	CODE		
(a)	(b)	(c)	, (d)	(a)	(b)	(c)	(d)	-		
					1		<u> </u>			
				[l			1		
	1	1	1	}	}	}	1	ì		
							1			
					,		İ			
	1	1								
1. DICCOL	havor cores	••••			· · · · · ·	* + CM10				
1. DISCRE CONDITION OF MATERIAL	PANCY CODES PRODUCT (QUALITY DEF	ICIENCIES		2 ACTION CODES					
C1 - In condition other than that indicated on			pplicable to Grant Aid and I	FMS shipments)		sition instructions		ly on reverse)		
release/receipt document		E OF MATERI			IB - Material being retained (See Remarks)					
C2 - Expired shelf life			t on receipt document	<i>c</i>		rting supply docur				
C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION			t requested (Other than unit post shipments	of issue pack)		ial still required, e	xpedite shipme	nt <i>(Not</i>		
D! - Not received			post snipments MARKINGS (i.e., Name i	Plates Loo		cable to FMS)	to be returned a	ıt suvodior'n		
D2 - Illegible or mutilated			NTA MARKINGS (i.e., Name Plates, Log 1E - Local purchase material to be returned books, Special Instructions, etc.) expense unless disposition instructions							
D3 - Incomplete, Improper or without authority	T1 - Missin		•			eived within 15 d				
(Only when receipt cannot be properly processed)		le or Mutilated								
MISDIRECTED MATERIAL M1 - Addressed to wrong activity			erational markings missing IF - Replacement shipment requested (Fissing or incomplete FMS)							
OVERAGE/DUPLICATE SHIPMENTS			ng or incomplete ng data missing or incomple			FMS) 1G - Reshipment not required. Item to be re-requisition				
O1 - Quantity in excess of that on receipt document		nty data missin				ion required. Info		-i edmissmoneo		
O2 - Quantity in excess of that requested (Other than unit of issue pack)			uuested item as a separate c	opy in Item 9.		action requested (2				
O3 - Quantity duplicate shipment	above)	-	•			, - (-				
PACKING DISCREPANCY		rect item receiv								
P1 - Improper preservation P2 - Improper packing		ceptable substit SCREPANCIES			1					
P3 - Improper Marking	ZI - Sec I		,							
P4 - Improper unitization	-21 - GCC I									
3. FUNDING AND ACCOUNTING DATA		·								
4 77777										
4a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PR	EPARING OFFICE	AL	14b. SIGNATURE							
5. DISTRIBUTION ADDRESSEES FOR COPIES				-	,		<u></u>			

16. FROM:		17. DISTRIBUTION ADDRESS	EES FOR DISTRI	BUTION	
18. TO:					
•		•		envelope to mail	
				luding ZIP Code, typing space below	
		ti	he left dot. Ea	ach address line must beyond right dot.	
		A		ot exceed four single typing lines.	
DI ACCORDA	NCE WITH NOTICE OF I	NECODED A NOVOM PAO			
a. MATERIAL	DOCUMENT NUMBER	JISCREPANCY ON FAC	EOF THIS F	ORM:	
HAS WILL BE SHIPPED				NO RECORD OF SHIP PROPER OFFICE UND	MENT. RESUBMIT REPOR ER APPROPRI
AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A	CREDIT	DEBIT	d.	INVOICE/BILL ATTACHED	c PR OF D
f AN ADJUSTMENT IN BILLING FOR THIS REPORTED	D DISCREPANCY WILL NOT BE	PROCESSED FOR THE FOLLO	WING REASON V	WHICH IS CITED IN THE INDICA	TED REGULATION
(I) REASON FOR NOT PROCESSING			(2)	PRES	CRIBING REGULATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME				(a) CHAPTER 5 OF THE GSA OR DEFICIENCIES IN GSA OR	DOD SHIPMENTS,
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRES OR AGREEMENT INDICATED IN 191(2) 20. THE	CRIBED IN THE REGULATION FOLLOWING DISPOSITION IS 1	O BE MADE OF THE REFEREN	NCED MATERIA	(b) CHAPTER 2 AND/OR 7 OI STANDARD BILLING SYSTEM L	
a PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES			TATIVE WILL CA	LL FOR DISCUSSION CONCERN	IING
c RETAIN MATERIAL AT NO CHARGE		d. MATERIAL	WILL BE PICKE	D UP IN:	
c SHIP MATERIAL Specify location)					
(I) GBL APPROPRIATION CHARGEABLE	:				
(2) CHARGES COLLECT - VIA:	FREIGHT	EXP	PRESS	PARCEL POST	
(3) PARCEL POST LABEL ATTACHED	(4)	FRE	SIGHT PREPAID		;
f OTHER (Specify)					
2 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.			ENT WITH SATE ADE ON/OR BEF	SFACTORY MATERIAL ORE:	
23. REMARKS (Continue on separate sheet of paper if necessary). 24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF OFFICIAL	PREPARING	24b. SIĞNATURE			
O. L. COM LE		l			

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Sand comments reporting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquerters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suita 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of lew, no gerson shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently veid OMS control number.

Please DO NOT RETURN your form to the above address. Send completed form

to the Government Issuing Co	entracting Officer for the Contract/Pf	No. Hated in Bloc	sk E.						
A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGORY:	OTHER	×			
D. SYSTEM/ITEM Wiring Assen	nbly, Manpack Fil	eserver	E. CONTRACT/PR		F. CONTRA				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		<u> </u>		3. SUBTITLE				\dashv
A001		noress. S	tatus, and Ma	magement Report					
4. AUTHORITY (Data Acquis	L.	ogicss, o	5. CONTRACT REFEREN			8. REQUIRING OFFICE			
DI-	-MGMT-80227			sow 4.3		MCLB	A (843))	
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSIO		14. DISTRIBUTION			
LT			ITHLY	See Blk 1	.0			b. COPIES	
8. APP CODE		11. AS OF DAT	TE	13. DATE OF SUBSEQUENT SUBMISSION See Blk 1	6	a. AUDRESSEE	Draft	Fina Reg	al Repro
18REMARKS			•			MCLBA (843-2)	0	1	0
•	DI-MGMT-80227 0.3k, and 10.3n.								
	eporting period sh submission shall b								
Blk 13 - Subse each month.	equent submissions	shall be	10 days after	the last business	day of		+		
							-		
							+		
ı									
! 							+		
							+-	\rightarrow	
						15. TOTAL	0	1	0
G. PREPARED BY		0	H. DATE	I. APPROVED BY	Υ	·	J. DATE	<u> </u>	\dashv
Konm	im. Bo	k	3/15/	199 Wille	2	Kanlel	3/15	5/F9	2

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jafferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Boverment Issuing Contracting Officer for the Contract/PR No. listed in Block £.

	ITEM NO.	B. EXHIBIT C. CATEGORY: TDP TM OTHER									
. SYSTEM/ITEM			E. CONTRACT/PE		- <u>- </u>	F. CONTRACTO					
Wiring Assem	nbly, Manpack F	ileserver				3. SUBTITLE					
JATA IJEM NU.	Z. FIILE UP DATA HEM					3. 20BIIILE					
B001	Repa	airable Ite	m Inspection	Report							
AUTHORITY (Data Acquis			5. CONTRACT REFERE		4.0	6.1	REQUIRING OFFICE				
	I-ILSS-80386				4.2	_		CBA (843)	<u>) </u>		
DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENC	SREQ	12. DATE OF FIRST S	Blk 16	17	DISTRIBUTIO	Ó M	L CODICO		
APP CODE	1	11. AS OF DA		13. DATE OF SUBSEQUENT			a. Addressee	ļ	b. COPIES Final		
				submission See	Blk 16	;		Draft	Reg	Repro	
REMARKS							ICLBA (843-2	2) 0	1	0	
k 10 - A sep	arate report shall erver repaired.	l be submi	itted for each	Wiring Asse	mbly,		•				
_	=										
ks 12 & 13 - mpletion of	Submit report b Wiring Assembly	y Marine v. Mandao	Corps Serial k Fileserver.	Number 30d	ays att	ег					
	ts shall be provi					 					
I. Itopoi	Dimi or Provi		F),								
						_			ļ		
								-	 	\vdash	
										+	
						<u> </u>					
									<u> </u>		
						-					
						-				\vdash	
								<u> </u>			
						<u> </u>			ļ		
						-					
									<u> </u>		
						<u> </u>					
						<u> </u>			 		
						-	·,				
						-					
						<u> </u>				 	
						}					
						 -		 			
						Į			I		

DD FORM 1423-1, AUG 96 (EG)

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other supect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Restington May 22022. Searces, Directorate for Information Operations and Reports (0701-0188), 1215 Jeffenson Devis Highway, Suita 1204, Affington, VA 2202-24302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. issted in Black E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT		C. CATEGORY:		+71154	~			
D SYSTEMATEM			F CONTRACTOR		4			_		
	ıbly, Manpack Fil	eserver	L. Commission		''	VOII 1 111A				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3,	SUBTITLE				
C001		gineering						nageme	ent	
			5. CONTRACT REFEREN		9			A (825)	ı	
	9. DIST STATEMENT	16. FREQUENC	<u> </u> :Y					- (020)		
LT .	REQUIRED		-						b. COPIES	
8. APP CODE	A	11. AS OF DAT	TE .	13. DATE OF SUBSEQUEN SUBMISSION	T		a. Addressee	Draft Reg Re		
16. REMARKS		l		L			MCLBA (825-2)	0	ī	0
Blk 4 - Contrac	ctor format is auth	orized.								
Blks 10 & 12 - permanently af Appendix D ap	ECPs shall be su fect the baseline opplies.	bmitted i	or all propose guration item.	d changes whi MIL-STD-97	ch 3,					
						upon			*	
ECPs shall be submitted on a 3.5" disk in ASCII format.										
Distribution Sta	atement A: Appr	oved for	public release	, distribution is	s unli	mited				
						•				
						-				
						-				
						-				
						-				
						-				
						-				
						}				
								ļ		
						}				
						ŀ	·			
		,		· · · · · · · · · · · · · · · · · · ·			Configuration Management 8. REQUIRING OFFICE MCLBA (825) 14. DISTRIBUTION A. ADDRESSEE Draft Reg Regiro MCLBA (825-2) 0 1 0 ACCURRATE STATE			
CO01 Engineering Change Proposal Latiful Strict Observation Latiful Str		,								
DD FORM 1423-1	A SREQ SUBMISSION ASREQ SUBMISSION ASRED			VIOUS EDITION MAY	BE USE	<i>o∕ · /_</i> D.	gul	Page	<u>/ケラ</u>	Pages

17. PRICE GROUP

14. ESTIMATED

TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquerters Services, Directorate for Information Derestions and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of less than the provi

the Government Issuing Co	ntracting Officer for the Contract									
. CONTRACT LINE	ITEM NO.	B. EXHIBI	T	C. CATEGORY:	OTHER	1	×			
). SYSTEM/ITEM	<u></u> ,		E. CONTRACT/PR		F. CONTRA			_		-
	ibly, Manpack F	ïleserver								1
DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					$\neg \uparrow$
C002		Dagger	Don Donieti			Co-G-	-ation 14			
COO2 AUTHORITY (Data Acquis	ition Consument Ma !	Kequest	For Deviation 5. CONTRACT REFEREN			Configu 6. REQUIRENS O	ration Mar	nageme	mt	
•	CMAN-80640B		3. CUMINACI METEREM	sow 3.9		a. neuvinasu	MCLBA	A (825))	
D 250 REQ	S. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISSI) II	14.	DISTRIBUTION	- (/		
LT	REQUIRED	<i> </i>	ASREQ	SEE BLK	16				b. COPIES	
PP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADI	DRESSEE	Dreft	Fir	nel
	<u>A</u>								Reg	Repro
remarks k 4 - Contra	ctor format is au	thorized.				MCLBA	(825-2)	0	1	0
			to obtain authomeet prescribe	orization to delive d configuration	r					
								 		
-				nin 30 calendar da	ys upon					
FDs shall be	submitted on a 3	3.5" disk i	n ASCII form	at.					:	
duantilional de		6-		المناهدات المناهدات					-	
ustribution St	анетепт А: Арр	rovea ior	public release	, distribution is u	numited					
										<u></u>
								 		
							<u></u>	 		
								 		
								†	$\neg \neg$	
nncn i sen su			11 6475	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	15. TOTAL	<u> </u>	0	1	0
PREPARED BY	$\Lambda \uparrow 0$ I	1	H. DATE	I. APPROVED BY	_		1	J. DATE	· ,	
V (/Im//. L	Y KA <i>adill</i>	11.	MAR 15	19 98 / ///	1. 1	//	//	3/1	5/0	,
1	AIR DR (EC)	<u>~</u>		EVIOUS EDITION MAY BE	iern	Jan J	<u>//</u>	Page	777	Pages
: Ullim 1443"	. AUG 30 (CG)	,	rni	LEIUUU LUITIUN MAT BEI	JOEU.	-		cane	111	290KT

(1 Data Item)

DD FORM 1423-1, AUG 96 (EG)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments regarding pits burden estimate or any other expect of this collection of information gaugestions for reducing the burden, to Department of Defenses, Weshington Meadouarters Services, Discreptorate for information Operations and Reports (0701-0188), 1215 Jufferson Devis Highway, State 1204, Arisington, VA 22202-4302, Respondents should be aware that newbrittstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the above address. Send completed form

	ITEM NO.	B. EXHIBIT		C. CATEGORY								
		<u></u> ,		TDP	TM	OTHER		X	<u></u>			
. SYSTEM/ITEM Wiring Assem	nbly, Manpack F	ileserver	E. CONTRACT/PR	E. CONTRACT/PR NO. F. CONTRA			CTOR					
DATA ITEM NO.	2. TITLE OF DATA ITEM			·	3,	SUBTITLE				**		
C003		Request	For Waiver				~	guration M	anagem	ent		
AUTHORITY (Data Acquis 1)T_C	ition Document No.) CMAN-80641B		5, CONTRACT REFERE	NCE SOW	2 0		6. RECUIRIN		A (825			
. DO 250 REQ	9. DIST STATEMENT	10. FREQUENC		12. DATE OF FIRST			14.	DISTRIBUTION	LBA (825)			
LT	REQUIREB	A	SREQ	SEE	BLK 16	,		212111201101		b. COPIES		
APP CODE	1	11. AS OF DAT	E	13. DATE OF SUBSI	EQUENT		a	addressee	Draft	Fi	naí	
I, REMARKS	A						MCID	A (935.3)		Reg	Repro	
	ctor format is au	thorized					MCLB	A (825-2)	- 0	1	0	
ocumentation	RFWs shall be material which reviewed and dis		_	_		s unon						
eceipt by the	Government.	Position a	oremined Al	will Jo Care	uaya	2 abon						
RFWs shall be	submitted on a	3.5" disk i	n ASCII form	nat.								

PREVIOUS EDITION MAY BE USED.

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

Page of Pages